| | City of | Toronto | | | | | |
|--|---------|--------------|--------|------|--------------|------|---------|
| | Toronto | Central LHIN | | Bria | r Hill-Belgr | avia | ì |
| Indicators | Count, | Count, | Count, | - ; | (95% CI) | - | Rate |
| | % | % | % | 1 | | 1 | Ratio* |
| Mammograms (2009-2011) ^a | | | | - 1 | | - | |
| Women, aged 50-59 | | | | | | 1 | |
| Total eligible population ** | 152,883 | 65,948 | 888 | - 1 | | + | |
| % of all eligible women having a mammogram within last 2 years | 54.5 | 53.9 | 54.8 | 1 | (51.6-58.1) | 1 | 1.01 NS |
| Total eligible population using services *** | 138,100 | 58,962 | 827 | - 1 | | - | |
| % of all women using services who also had a mammogram | 60.3 | 60.2 | 58.9 | 1 | (55.5-62.2) | 1 | 0.98 NS |
| Women, aged 60-69 | | | | | | - | |
| Total eligible population ** | 131,959 | 56,131 | 750 | - 1 | | + | |
| % of all eligible women having a mammogram within last 2 years | 57.5 | 56.5 | 57.3 | 1 | (53.8-60.9) | 1 | 1.00 NS |
| Total eligible population using services *** | 121,953 | 51,444 | 709 | - 1 | | + | |
| % of all women using services who also had a mammogram | 62.3 | 61.7 | 60.6 | 1 | (57.1-64.2) | - | 0.97 NS |
| Women, aged 50-69 | | | | | | - | |
| Total eligible population ** | 284,842 | 122,079 | 1,638 | - 1 | | + | |
| % having a mammogram within last 2 years | 55.9 | 55.1 | 56.0 | 1 | (53.6-58.4) | 1 | 1.00 NS |
| % having a mammogram within last 2 years - Age-Adjusted † | 56.1 | 55.3 | 56.2 | - 1 | (52.6-60.0) | 1 | 1.00 NS |
| Total eligible population using services *** | 260,053 | 110,406 | 1,536 | 1 | | - | |
| % having a mammogram within last 2 years | 61.2 | 60.9 | 59.7 | 1 | (57.2-62.2) | 1 | 0.97 NS |
| % having a mammogram within last 2 years - Age-Adjusted † | 61.4 | 61.0 | 59.8 | 1 | (56.0-63.9) | 1 | 0.97 NS |

- CI Confidence Interval.
- **H/L/NS** Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate (p < 0.05). Rates marked not significantly (NS) different do not reach this level of significance.
 - a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).
 - * Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.
 - ** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.
 - *** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.
 - † Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

| | City of | Toronto | | | | | |
|--|---------|--------------|----------------------|-----|-------------|-----|---------|
| | Toronto | Central LHIN | Briar Hill-Belgravia | | | | |
| Indicators | Count, | Count, | Count, | - 1 | (95% CI) | - | Rate |
| | % | % | % | : | | 1 | Ratio* |
| Pap smears (2008-2011) ^a | | | | | | - | |
| Women, aged 21-34 | | | | | | | |
| Total eligible population ** | 190,152 | 88,940 | 1,003 | - 1 | | + | |
| % of all eligible women having a Pap smear within last 3 years | 59.1 | 62.2 | 56.7 | 1 | (53.7-59.8) | 1 | 0.96 NS |
| Total eligible population using services *** | 177,832 | 83,547 | 946 | - 1 | | | |
| % of all women using services who also had a Pap smear | 63.2 | 66.2 | 60.1 | 1 | (57.0-63.3) | 1 | 0.95 NS |
| Women, aged 35-49 | | | | - | | - | |
| Total eligible population ** | 283,994 | 126,813 | 1,701 | 1 | | + | |
| % of all eligible women having a Pap smear within last 3 years | 58.5 | 58.1 | 58.1 | 1 | (55.7-60.4) | 1 | 0.99 NS |
| Total eligible population using services *** | 244,335 | 107,166 | 1,529 | | | - | |
| % of all women using services who also had a Pap smear | 68.0 | 68.7 | 64.6 | 1 | (62.2-67.0) | 1 | 0.95 L |
| Women, aged 50-69 | | | | T | | - | |
| Total eligible population ** | 267,274 | 114,379 | 1,537 | | | + | |
| % of all eligible women having a Pap smear within last 3 years | 55.3 | 55.0 | 50.4 | 1 | (47.9-52.9) | - | 0.91 L |
| Total eligible population using services *** | 241,067 | 102,028 | 1,428 | - 1 | | | |
| % of all women using services who also had a Pap smear | 61.3 | 61.6 | 54.3 | - 1 | (51.7-56.9) | - | 0.89 L |
| Women, aged 21-69 | | | | T | | - | |
| Total eligible population ** | 741,420 | 330,132 | 4,241 | - 1 | | - } | |
| % having a Pap smear within last 3 years | 57.5 | 58.1 | 55.0 | 1 | (53.5-56.5) | - | 0.96 L |
| % having a Pap smear within last 3 years - Age-Adjusted † | 57.8 | 58.6 | 55.4 | 1 | (53.1-57.7) | - 1 | 0.96 L |
| Total eligible population using services *** | 663,234 | 292,741 | 3,903 | - 1 | | - 1 | |
| % having a Pap smear within last 3 years | 64.3 | 65.5 | 59.7 | - 1 | (58.2-61.3) | 1 | 0.93 L |
| % having a Pap smear within last 3 years - Age-Adjusted † | 64.4 | 65.8 | 60.1 | - 1 | (57.6-62.6) | - | 0.93 L |

- CI Confidence Interval.
- **H/L/NS** Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate (p < 0.05). Rates marked not significantly (NS) different do not reach this level of significance.
 - ^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.
 - * Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.
 - ** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.
 - *** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.
 - † Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

| | City of | Toronto | | | | | |
|---|---------|--------------|--------|------|--------------|------|--------|
| | Toronto | Central LHIN | | Bria | r Hill-Belgr | avia | 1 |
| Indicators | Count, | Count, | Count, | - 1 | (95% CI) | 1 | Rate |
| | % | % | % | 1 | | 1 | Ratio* |
| Any Colorectal Cancer Screening § (2011) ^a | | | | - 1 | | 1 | |
| Men and women, aged 50-59 | | | | - | | 1 | |
| Total eligible population ** | 309,272 | 135,071 | 1,773 | - 1 | | 1 | |
| % screened § | 47.4 | 47.4 | 42.7 | 1 | (40.4-45.0) | 1 | 0.90 L |
| Total eligible population using services *** | 275,278 | 118,927 | 1,595 | - 1 | | 1 | |
| % screened § | 53.1 | 53.6 | 47.3 | - | (44.9-49.8) | 1 | 0.89 L |
| Men and women, aged 60-74 | | | | | | - | |
| Total eligible population ** | 354,276 | 150,297 | 1,878 | - 1 | | - | |
| % screened § | 56.3 | 55.8 | 50.5 | - 1 | (48.3-52.8) | - | 0.90 L |
| Total eligible population using services *** | 324,306 | 136,315 | 1,737 | - 1 | | - | |
| % screened § | 61.4 | 61.3 | 54.5 | - | (52.2-56.9) | 1 | 0.89 L |
| Men and women, aged 50-74 | | | | | | - | |
| Total eligible population ** | 663,548 | 285,368 | 3,651 | - 1 | | 1 | |
| % screened § | 52.1 | 51.8 | 46.7 | + | (45.1-48.3) | 1 | 0.90 L |
| % screened §, Age-Adjusted † | 52.8 | 52.5 | 47.5 | - | (45.2-49.8) | - | 0.90 L |
| Total eligible population using services *** | 599,584 | 255,242 | 3,332 | - 1 | | 1 | |
| % screened § | 57.6 | 57.7 | 51.1 | + | (49.4-52.8) | 1 | 0.89 L |
| % screened §, Age-Adjusted † | 58.1 | 58.3 | 51.7 | - | (49.2-54.3) | 1 | 0.89 L |

- CI Confidence Interval.
- **H/L/NS** Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate (p < 0.05). Rates marked not significantly (NS) different do not reach this level of significance.
 - a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).
 - * Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.
 - ** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.
 - *** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.
 - § Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.
 - † Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

| | City of | Toronto | | | | | |
|---|---------|--------------|----------------------|-----|-------------|---|--------|
| | Toronto | Central LHIN | Briar Hill-Belgravia | | | | |
| Indicators | Count, | Count, | Count, | - 1 | (95% CI) | 1 | Rate |
| | % | % | % | 1 | | 1 | Ratio* |
| Colonoscopy ‡ (2001-2011) ^a | | | | - 1 | | 1 | |
| Men and women, aged 50-59 | | | | - | | - | |
| Total eligible population ** | 309,272 | 135,071 | 1,773 | - 1 | | 1 | |
| % screened within last 10 years ‡ | 30.7 | 32.9 | 25.9 | 1 | (23.8-27.9) | 1 | 0.84 L |
| Total eligible population using services *** | 275,278 | 118,927 | 1,595 | - 1 | | + | |
| % screened within last 10 years ‡ | 34.4 | 37.2 | 28.7 | + | (26.4-30.9) | 1 | 0.83 L |
| Men and women, aged 60-74 | | | | - 1 | | - | |
| Total eligible population ** | 354,276 | 150,297 | 1,878 | - 1 | | 1 | |
| % screened within last 10 years ‡ | 39.0 | 40.7 | 30.9 | 1 | (28.8-33.0) | 1 | 0.79 L |
| Total eligible population using services *** | 324,306 | 136,315 | 1,737 | - 1 | | + | |
| % screened within last 10 years ‡ | 42.4 | 44.6 | 33.3 | + | (31.1-35.5) | 1 | 0.78 L |
| Men and women, aged 50-74 | | | | - 1 | | - | |
| Total eligible population ** | 663,548 | 285,368 | 3,651 | - 1 | | + | |
| % screened within last 10 years ‡ | 35.1 | 37.0 | 28.5 | 1 | (27.0-29.9) | 1 | 0.81 L |
| % screened within last 10 years ‡, Age-Adjusted † | 35.7 | 37.6 | 28.9 | + | (27.2-30.8) | 1 | 0.81 L |
| Total eligible population using services *** | 599,584 | 255,242 | 3,332 | + | | + | |
| % screened within last 10 years ‡ | 38.7 | 41.2 | 31.1 | 1 | (29.5-32.6) | 1 | 0.80 L |
| % screened within last 10 years ‡, Age-Adjusted † | 39.3 | 41.7 | 31.5 | - 1 | (29.6-33.5) | - | 0.80 L |

- CI Confidence Interval.
- **H/L/NS** Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate (p < 0.05). Rates marked not significantly (NS) different do not reach this level of significance.
 - ^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).
 - * Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.
 - ** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.
 - *** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.
 - ‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).
 - † Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

| | City of | Toronto | | | | | |
|---|---------|--------------|--------|------|--------------|------|---------|
| | Toronto | Central LHIN | | Bria | r Hill-Belgr | avia | 1 |
| Indicators | Count, | Count, | Count, | - 1 | (95% CI) | - | Rate |
| | % | % | % | 1 | | 1 | Ratio* |
| Fecal Occult Blood Testing ± (2009-2011) a | | | | - 1 | | - | |
| Men and women, aged 50-59 | | | | - | | 1 | |
| Total eligible population ** | 210,079 | 88,954 | 1,294 | - 1 | | 1 | |
| % of all eligible population screened within last 2 years | 22.6 | 20.1 | 21.5 | 1 | (19.2-23.7) | 1 | 0.95 NS |
| Total eligible population using services *** | 176,392 | 72,982 | 1,118 | - 1 | | -} | |
| % of all population using services who were screened | 26.9 | 24.5 | 24.9 | - | (22.3-27.4) | 1 | 0.92 NS |
| Men and women, aged 60-74 | | | | | | - | |
| Total eligible population ** | 210,622 | 86,817 | 1,245 | - 1 | | + | |
| % of all eligible population screened within last 2 years | 26.5 | 23.4 | 25.4 | + | (23.0-27.8) | - | 0.96 NS |
| Total eligible population using services *** | 181,112 | 73,102 | 1,106 | - 1 | | + | |
| % of all population using services who were screened | 30.8 | 27.8 | 28.6 | - 1 | (25.9-31.2) | 1 | 0.93 NS |
| Men and women, aged 50-74 | | | | | | - | |
| Total eligible population ** | 420,701 | 175,771 | 2,539 | - 1 | | + | |
| % screened within last 2 years | 24.5 | 21.7 | 23.4 | - 1 | (21.7-25.0) | - | 0.95 NS |
| % screened within last 2 years, Age-Adjusted † | 25.0 | 22.1 | 23.9 | - 1 | (21.9-25.9) | 1 | 0.95 NS |
| Total eligible population using services *** | 357,504 | 146,084 | 2,224 | - 1 | | + | |
| % screened within last 2 years | 28.9 | 26.1 | 26.7 | + | (24.9-28.5) | 1 | 0.92 L |
| % screened within last 2 years, Age-Adjusted † | 29.3 | 26.5 | 27.1 | - | (24.9-29.4) | - | 0.93 NS |

- CI Confidence Interval.
- **H/L/NS** Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate (p < 0.05). Rates marked not significantly (NS) different do not reach this level of significance.
 - Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).
 - * Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.
 - ** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.
 - *** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.
 - **±** FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).
 - † Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.