N40 - St. Andrew-Windfields Profile: Prevention

| | City of | Toronto | | | | | |
|--|---------|--------------|--------|-------|-------------|-------|--------|
| | Toronto | Central LHIN | St | t. An | drew-Wind | lfiel | ds |
| Indicators | Count, | Count, | Count, | - ; | (95% CI) | - | Rate |
| | % | % | % | 1 | | 1 | Ratio* |
| Mammograms (2009-2011) ^a | | | | - 1 | | - | |
| Women, aged 50-59 | | | | - | | - | |
| Total eligible population ** | 152,883 | 65,948 | 1,257 | - | | + | |
| % of all eligible women having a mammogram within last 2 years | 54.5 | 53.9 | 63.0 | 1 | (60.3-65.7) | 1 | 1.16 H |
| Total eligible population using services *** | 138,100 | 58,962 | 1,128 | - | | - | |
| % of all women using services who also had a mammogram | 60.3 | 60.2 | 70.2 | - | (67.5-72.9) | 1 | 1.16 H |
| Women, aged 60-69 | | | | - | | - | |
| Total eligible population ** | 131,959 | 56,131 | 1,148 | - | | + | |
| % of all eligible women having a mammogram within last 2 years | 57.5 | 56.5 | 65.8 | - | (63.0-68.5) | - | 1.14 H |
| Total eligible population using services *** | 121,953 | 51,444 | 1,037 | - | | - | |
| % of all women using services who also had a mammogram | 62.3 | 61.7 | 72.8 | - | (70.1-75.5) | - | 1.17 H |
| Women, aged 50-69 | | | | - | | - | |
| Total eligible population ** | 284,842 | 122,079 | 2,405 | - | | + | |
| % having a mammogram within last 2 years | 55.9 | 55.1 | 64.3 | - | (62.4-66.2) | - | 1.15 H |
| % having a mammogram within last 2 years - Age-Adjusted † | 56.1 | 55.3 | 64.5 | - | (61.3-67.8) | - | 1.15 H |
| Total eligible population using services *** | 260,053 | 110,406 | 2,165 | - } | | - | |
| % having a mammogram within last 2 years | 61.2 | 60.9 | 71.5 | 1 | (69.6-73.4) | 1 | 1.17 H |
| % having a mammogram within last 2 years - Age-Adjusted † | 61.4 | 61.0 | 71.6 | - | (68.1-75.3) | } | 1.17 H |

- CI Confidence Interval.
- **H/L/NS** Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate (p < 0.05). Rates marked not significantly (NS) different do not reach this level of significance.
 - a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).
 - * Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.
 - ** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.
 - *** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.
 - † Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

N40 – St. Andrew-Windfields Profile: Prevention

| | City of | Toronto | | | | | |
|--|---------|--------------|-----------------------|-----|-------------|----|---------|
| | Toronto | Central LHIN | St. Andrew-Windfields | | | | ds |
| Indicators | Count, | Count, | Count, | 1 | (95% CI) | 1 | Rate |
| | % | % | % | 1 | | 1 | Ratio* |
| Pap smears (2008-2011) ^a | | | | - 1 | | 1 | |
| Women, aged 21-34 | | | | - | | 1 | |
| Total eligible population ** | 190,152 | 88,940 | 1,207 | - } | | + | |
| % of all eligible women having a Pap smear within last 3 years | 59.1 | 62.2 | 55.7 | 1 | (52.9-58.5) | + | 0.94 L |
| Total eligible population using services *** | 177,832 | 83,547 | 1,094 | - 1 | | -} | |
| % of all women using services who also had a Pap smear | 63.2 | 66.2 | 61.4 | 1 | (58.5-64.3) | 1 | 0.97 NS |
| Women, aged 35-49 | | | | - 1 | | - | |
| Total eligible population ** | 283,994 | 126,813 | 2,021 | - | | | |
| % of all eligible women having a Pap smear within last 3 years | 58.5 | 58.1 | 62.1 | 1 | (60.0-64.3) | - | 1.06 H |
| Total eligible population using services *** | 244,335 | 107,166 | 1,750 | - | | + | |
| % of all women using services who also had a Pap smear | 68.0 | 68.7 | 71.8 | - | (69.7-73.9) | 1 | 1.06 H |
| Women, aged 50-69 | | | | - | | - | |
| Total eligible population ** | 267,274 | 114,379 | 2,175 | - | | + | |
| % of all eligible women having a Pap smear within last 3 years | 55.3 | 55.0 | 64.6 | - | (62.6-66.6) | - | 1.17 H |
| Total eligible population using services *** | 241,067 | 102,028 | 1,929 | - | | + | |
| % of all women using services who also had a Pap smear | 61.3 | 61.6 | 72.8 | - ! | (70.8-74.8) | - | 1.19 H |
| Women, aged 21-69 | | | | - | | - | |
| Total eligible population ** | 741,420 | 330,132 | 5,403 | - | | - | |
| % having a Pap smear within last 3 years | 57.5 | 58.1 | 61.7 | 1 | (60.4-63.0) | 1 | 1.07 H |
| % having a Pap smear within last 3 years - Age-Adjusted † | 57.8 | 58.6 | 60.7 | 1 | (58.6-62.9) | 1 | 1.05 H |
| Total eligible population using services *** | 663,234 | 292,741 | 4,773 | 1 | | 1 | |
| % having a Pap smear within last 3 years | 64.3 | 65.5 | 69.8 | 1 | (68.5-71.1) | 1 | 1.09 H |
| % having a Pap smear within last 3 years - Age-Adjusted † | 64.4 | 65.8 | 68.6 | - 1 | (66.2-71.1) | - | 1.07 H |

- CI Confidence Interval.
- **H/L/NS** Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate (p < 0.05). Rates marked not significantly (NS) different do not reach this level of significance.
 - a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.
 - * Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.
 - ** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.
 - *** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.
 - † Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

N40 - St. Andrew-Windfields Profile: Prevention

| | City of | Toronto | | | | | |
|---|---------|--------------|-----------------------|-----|-------------|----|--------|
| | Toronto | Central LHIN | St. Andrew-Windfields | | | | ds |
| Indicators | Count, | Count, | Count, | ; | (95% CI) | 1 | Rate |
| | % | % | % | 1 | | 1 | Ratio* |
| Any Colorectal Cancer Screening § (2011) ^a | | | | - | | - | |
| Men and women, aged 50-59 | | | | 1 | | 1 | |
| Total eligible population ** | 309,272 | 135,071 | 2,507 | - | | 1 | |
| % screened § | 47.4 | 47.4 | 61.3 | 1 | (59.4-63.2) | 1 | 1.29 H |
| Total eligible population using services *** | 275,278 | 118,927 | 2,224 | - } | | -} | |
| % screened § | 53.1 | 53.6 | 68.9 | + | (67.0-70.8) | 1 | 1.30 H |
| Men and women, aged 60-74 | | | | | | - | |
| Total eligible population ** | 354,276 | 150,297 | 3,016 | - } | | -} | |
| % screened § | 56.3 | 55.8 | 68.7 | + | (67.0-70.3) | - | 1.22 H |
| Total eligible population using services *** | 324,306 | 136,315 | 2,752 | - | | -} | |
| % screened § | 61.4 | 61.3 | 75.0 | - | (73.4-76.6) | 1 | 1.22 H |
| Men and women, aged 50-74 | | | | | | - | |
| Total eligible population ** | 663,548 | 285,368 | 5,523 | + | | -} | |
| % screened § | 52.1 | 51.8 | 65.3 | + | (64.1-66.6) | - | 1.25 H |
| % screened §, Age-Adjusted † | 52.8 | 52.5 | 65.8 | - | (63.6-68.0) | - | 1.25 H |
| Total eligible population using services *** | 599,584 | 255,242 | 4,976 | - } | | -} | |
| % screened § | 57.6 | 57.7 | 72.3 | + | (71.0-73.5) | 1 | 1.25 H |
| % screened §, Age-Adjusted † | 58.1 | 58.3 | 72.6 | - | (70.2-75.0) | - | 1.25 H |

- CI Confidence Interval.
- **H/L/NS** Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate (p < 0.05). Rates marked not significantly (NS) different do not reach this level of significance.
 - a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).
 - * Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.
 - ** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.
 - *** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.
 - § Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.
 - † Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

N40 - St. Andrew-Windfields Profile: Prevention

| | City of | Toronto | | | | | |
|---|---------|--------------|-----------------------|-----|-------------|---|--------|
| | Toronto | Central LHIN | St. Andrew-Windfields | | | | ds |
| Indicators | Count, | Count, | Count, | - | (95% CI) | 1 | Rate |
| | % | % | % | - | | 1 | Ratio* |
| Colonoscopy ‡ (2001-2011) ^a | | | | - | | - | |
| Men and women, aged 50-59 | | | | | | 1 | |
| Total eligible population ** | 309,272 | 135,071 | 2,507 | - | | 1 | |
| % screened within last 10 years ‡ | 30.7 | 32.9 | 47.7 | 1 | (45.8-49.7) | 1 | 1.55 H |
| Total eligible population using services *** | 275,278 | 118,927 | 2,224 | - } | | 1 | |
| % screened within last 10 years ‡ | 34.4 | 37.2 | 53.6 | + | (51.5-55.7) | 1 | 1.56 H |
| Men and women, aged 60-74 | | | | - | | - | |
| Total eligible population ** | 354,276 | 150,297 | 3,016 | + | | 1 | |
| % screened within last 10 years ‡ | 39.0 | 40.7 | 58.2 | 1 | (56.5-60.0) | 1 | 1.49 H |
| Total eligible population using services *** | 324,306 | 136,315 | 2,752 | - | | 1 | |
| % screened within last 10 years ‡ | 42.4 | 44.6 | 63.6 | + | (61.8-65.4) | 1 | 1.50 H |
| Men and women, aged 50-74 | | | | | | - | |
| Total eligible population ** | 663,548 | 285,368 | 5,523 | + | | 1 | |
| % screened within last 10 years ‡ | 35.1 | 37.0 | 53.5 | 1 | (52.2-54.8) | 1 | 1.52 H |
| % screened within last 10 years ‡, Age-Adjusted † | 35.7 | 37.6 | 54.1 | - | (52.2-56.1) | 1 | 1.52 H |
| Total eligible population using services *** | 599,584 | 255,242 | 4,976 | + | | 1 | |
| % screened within last 10 years ‡ | 38.7 | 41.2 | 59.1 | + | (57.7-60.5) | 1 | 1.53 H |
| % screened within last 10 years ‡, Age-Adjusted † | 39.3 | 41.7 | 59.7 | + | (57.5-61.9) | 1 | 1.52 H |

- CI Confidence Interval.
- **H/L/NS** Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate (p < 0.05). Rates marked not significantly (NS) different do not reach this level of significance.
 - **a** Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).
 - * Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.
 - ** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.
 - *** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.
 - ‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).
 - † Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

N40 - St. Andrew-Windfields Profile: Prevention

| | City of | Toronto | | | | | |
|---|---------|--------------|-----------------------|-----|-------------|----|---------|
| | Toronto | Central LHIN | St. Andrew-Windfields | | | | |
| Indicators | Count, | Count, | Count, | - 1 | (95% CI) | - | Rate |
| | % | % | % | 1 | | 1 | Ratio* |
| Fecal Occult Blood Testing ± (2009-2011) a | | | | - 1 | | - | |
| Men and women, aged 50-59 | | | | | | | |
| Total eligible population ** | 210,079 | 88,954 | 1,287 | - } | | + | |
| % of all eligible population screened within last 2 years | 22.6 | 20.1 | 24.7 | 1 | (22.4-27.1) | 1 | 1.09 NS |
| Total eligible population using services *** | 176,392 | 72,982 | 1,009 | + | | -} | |
| % of all population using services who were screened | 26.9 | 24.5 | 31.5 | - 1 | (28.6-34.4) | - | 1.17 H |
| Men and women, aged 60-74 | | | | | | - | |
| Total eligible population ** | 210,622 | 86,817 | 1,241 | - } | | - | |
| % of all eligible population screened within last 2 years | 26.5 | 23.4 | 24.0 | - | (21.6-26.4) | - | 0.91 L |
| Total eligible population using services *** | 181,112 | 73,102 | 984 | - } | | + | |
| % of all population using services who were screened | 30.8 | 27.8 | 30.3 | - 1 | (27.4-33.2) | - | 0.98 NS |
| Men and women, aged 50-74 | | | | | | - | |
| Total eligible population ** | 420,701 | 175,771 | 2,528 | - } | | | |
| % screened within last 2 years | 24.5 | 21.7 | 24.4 | - | (22.7-26.0) | - | 0.99 NS |
| % screened within last 2 years, Age-Adjusted † | 25.0 | 22.1 | 24.3 | - } | (22.4-26.3) | - | 0.97 NS |
| Total eligible population using services *** | 357,504 | 146,084 | 1,993 | - } | | - | |
| % screened within last 2 years | 28.9 | 26.1 | 30.9 | 1 | (28.9-32.9) | 1 | 1.07 H |
| % screened within last 2 years, Age-Adjusted † | 29.3 | 26.5 | 30.8 | - 1 | (28.3-33.4) | - | 1.05 NS |

- CI Confidence Interval.
- **H/L/NS** Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate (p < 0.05). Rates marked not significantly (NS) different do not reach this level of significance.
 - ^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).
 - * Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.
 - ** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.
 - *** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.
 - **±** FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).
 - † Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.