

N54 – O'Connor-Parkview Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	O'Connor-Parkview			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Mammograms (2009-2011) ^a						
Women, aged 50-59						
Total eligible population **	152,883	65,948	1,126			
% of all eligible women having a mammogram within last 2 years	54.5	53.9	56.7	(53.9-59.6)		1.04 NS
Total eligible population using services ***	138,100	58,962	1,034			
% of all women using services who also had a mammogram	60.3	60.2	61.8	(58.8-64.8)		1.02 NS
Women, aged 60-69						
Total eligible population **	131,959	56,131	878			
% of all eligible women having a mammogram within last 2 years	57.5	56.5	60.3	(57.0-63.5)		1.05 NS
Total eligible population using services ***	121,953	51,444	829			
% of all women using services who also had a mammogram	62.3	61.7	63.8	(60.5-67.1)		1.02 NS
Women, aged 50-69						
Total eligible population **	284,842	122,079	2,004			
% having a mammogram within last 2 years	55.9	55.1	58.3	(56.1-60.4)		1.04 H
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	58.6	(55.2-62.1)		1.04 NS
Total eligible population using services ***	260,053	110,406	1,863			
% having a mammogram within last 2 years	61.2	60.9	62.7	(60.5-64.9)		1.02 NS
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	62.9	(59.3-66.6)		1.02 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N54 – O'Connor-Parkview Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	O'Connor-Parkview			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Pap smears (2008-2011) ^a						
Women, aged 21-34						
Total eligible population **	190,152	88,940	1,018			
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	61.1	(58.1-64.1)		1.03 NS
Total eligible population using services ***	177,832	83,547	962			
% of all women using services who also had a Pap smear	63.2	66.2	64.7	(61.6-67.7)		1.02 NS
Women, aged 35-49						
Total eligible population **	283,994	126,813	1,784			
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	61.7	(59.4-63.9)		1.05 H
Total eligible population using services ***	244,335	107,166	1,622			
% of all women using services who also had a Pap smear	68.0	68.7	67.8	(65.5-70.1)		1.00 NS
Women, aged 50-69						
Total eligible population **	267,274	114,379	1,892			
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	56.5	(54.3-58.7)		1.02 NS
Total eligible population using services ***	241,067	102,028	1,750			
% of all women using services who also had a Pap smear	61.3	61.6	61.1	(58.8-63.4)		1.00 NS
Women, aged 21-69						
Total eligible population **	741,420	330,132	4,694			
% having a Pap smear within last 3 years	57.5	58.1	59.5	(58.1-60.9)		1.03 H
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	60.0	(57.7-62.3)		1.04 NS
Total eligible population using services ***	663,234	292,741	4,334			
% having a Pap smear within last 3 years	64.3	65.5	64.4	(63.0-65.8)		1.00 NS
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	64.8	(62.3-67.3)		1.01 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N54 – O'Connor-Parkview Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	O'Connor-Parkview			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Any Colorectal Cancer Screening § (2011) ^a						
Men and women, aged 50-59						
Total eligible population **	309,272	135,071	2,271			
% screened §	47.4	47.4	45.7	(43.6-47.7)	0.96	NS
Total eligible population using services ***	275,278	118,927	2,070			
% screened §	53.1	53.6	50.0	(47.8-52.2)	0.94	L
Men and women, aged 60-74						
Total eligible population **	354,276	150,297	2,266			
% screened §	56.3	55.8	55.4	(53.4-57.5)	0.98	NS
Total eligible population using services ***	324,306	136,315	2,129			
% screened §	61.4	61.3	58.9	(56.8-61.0)	0.96	L
Men and women, aged 50-74						
Total eligible population **	663,548	285,368	4,537			
% screened §	52.1	51.8	50.5	(49.1-52.0)	0.97	L
% screened §, Age-Adjusted †	52.8	52.5	51.6	(49.5-53.8)	0.98	NS
Total eligible population using services ***	599,584	255,242	4,199			
% screened §	57.6	57.7	54.5	(53.0-56.0)	0.95	L
% screened §, Age-Adjusted †	58.1	58.3	55.4	(53.1-57.8)	0.95	L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N54 – O'Connor-Parkview Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	O'Connor-Parkview			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Colonoscopy ‡ (2001-2011) ^a						
Men and women, aged 50-59						
Total eligible population **	309,272	135,071	2,271			
% screened within last 10 years ‡	30.7	32.9	29.4	(27.5-31.2)	0.96 NS	
Total eligible population using services ***	275,278	118,927	2,070			
% screened within last 10 years ‡	34.4	37.2	32.1	(30.1-34.1)	0.93 L	
Men and women, aged 60-74						
Total eligible population **	354,276	150,297	2,266			
% screened within last 10 years ‡	39.0	40.7	36.5	(34.6-38.5)	0.94 L	
Total eligible population using services ***	324,306	136,315	2,129			
% screened within last 10 years ‡	42.4	44.6	38.8	(36.7-40.9)	0.91 L	
Men and women, aged 50-74						
Total eligible population **	663,548	285,368	4,537			
% screened within last 10 years ‡	35.1	37.0	33.0	(31.6-34.3)	0.94 L	
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	33.7	(32.0-35.5)	0.94 L	
Total eligible population using services ***	599,584	255,242	4,199			
% screened within last 10 years ‡	38.7	41.2	35.5	(34.1-37.0)	0.92 L	
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	36.2	(34.3-38.1)	0.92 L	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N54 – O'Connor-Parkview Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	O'Connor-Parkview		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Fecal Occult Blood Testing \pm (2009-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	210,079	88,954	1,572		
% of all eligible population screened within last 2 years	22.6	20.1	21.5	(19.5-23.5)	0.95 NS
Total eligible population using services ***	176,392	72,982	1,373		
% of all population using services who were screened	26.9	24.5	24.6	(22.3-26.9)	0.92 NS
Men and women, aged 60-74					
Total eligible population **	210,622	86,817	1,398		
% of all eligible population screened within last 2 years	26.5	23.4	28.0	(25.7-30.4)	1.06 NS
Total eligible population using services ***	181,112	73,102	1,263		
% of all population using services who were screened	30.8	27.8	31.0	(28.5-33.6)	1.01 NS
Men and women, aged 50-74					
Total eligible population **	420,701	175,771	2,970		
% screened within last 2 years	24.5	21.7	24.6	(23.0-26.1)	1.00 NS
% screened within last 2 years, Age-Adjusted †	25.0	22.1	25.5	(23.6-27.5)	1.02 NS
Total eligible population using services ***	357,504	146,084	2,636		
% screened within last 2 years	28.9	26.1	27.7	(26.0-29.4)	0.96 NS
% screened within last 2 years, Age-Adjusted †	29.3	26.5	28.5	(26.4-30.7)	0.97 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

\pm FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>