

N17 - Mimico Profile: Adult Health and Disease

	Toronto			Mimico			
	Males	Females	Both sexes	Males (95% CI)	Females (95% CI)	Both sexes (95% CI)	Rate Ratio**
Demographics							
Total Population Age 20-44 ^a	524,165	531,940	1,056,105	4,578	4,588	9,166	
Total Population Age 45-64 ^a	282,668	305,984	588,652	2,786	2,721	5,507	
Total Population Age 65+ ^a	167,731	226,843	394,574	1,520	1,953	3,473	
Chronic Illness - Physician Visits (2001-2003)							
Diabetes ^c							
% With diabetes - Age 45-64	13.8	11.2	12.5	13.1 (11.9-14.4)	9.4 (8.4-10.5)	11.3 (10.5-12.1)	0.91 L
% With diabetes - Age 65+	22.7	19.2	20.7	22.8 (20.6-25.0)	18.1 (16.3-19.8)	20.1 (18.8-21.5)	0.97 NS
% With diabetes - Age Adjusted [†]	16.9	14.4	15.6	16.7 (15.6-17.8)	13.0 (12.1-14.0)	14.7 (14.0-15.5)	0.95 L
Arthritis / Rheumatism ^{a±}							
% With arthritis/rheumatism - Age 45-64	12.7	19.0	16.0	14.9 (13.6-16.2)	19.5 (18.0-21.0)	17.2 (16.2-18.2)	1.08 H
% With arthritis/rheumatism - Age 65+	18.1	24.6	21.8	17.8 (15.8-19.7)	23.4 (21.5-25.4)	21.0 (19.6-22.4)	0.96 NS
% With arthritis/rheumatism - Age Adjusted [†]	14.6	21.3	18.2	16.1 (15.0-17.2)	21.2 (20.1-22.4)	18.9 (18.1-19.7)	1.04 NS
Asthma ^{a±}							
% With asthma - Age 20-44	2.1	2.8	2.4	2.2 (1.8-2.6)	3.2 (2.7-3.7)	2.7 (2.4-3.0)	1.11 NS
% With asthma - Age 45-64	2.3	3.6	3.0	1.9 (1.4-2.4)	4.0 (3.3-4.8)	3.0 (2.5-3.4)	0.98 NS
% With asthma - Age Adjusted [†]	2.2	3.1	2.6	2.1 (1.8-2.4)	3.5 (3.1-3.9)	2.8 (2.6-3.1)	1.08 NS
High Blood Pressure ^{a±}							
% With high blood pressure - Age 45-64	18.5	21.0	19.8	17.2 (15.8-18.6)	19.0 (17.6-20.5)	18.1 (17.1-19.1)	0.91 L
% With high blood pressure - Age 65+	33.0	38.2	36.0	32.8 (30.3-35.2)	37.3 (35.1-39.5)	35.3 (33.7-37.0)	0.98 NS
% With high blood pressure - Age Adjusted [†]	23.6	28.0	25.9	22.8 (21.6-24.1)	26.6 (25.4-27.8)	24.9 (24-25.8)	0.96 L
Heart Disease ^{a±}							
% With heart disease - Age 45-64	6.1	3.2	4.5	6.4 (5.5-7.2)	3.6 (2.9-4.3)	5.0 (4.4-5.6)	1.10 NS
% With heart disease - Age 65+	18.7	11.8	14.7	19.7 (17.7-21.8)	14.7 (13.1-16.3)	16.8 (15.6-18.1)	1.14 H
% With heart disease - Age Adjusted [†]	10.5	6.7	8.4	11.1 (10.2-12.1)	8.1 (7.3-8.8)	9.5 (8.9-10.1)	1.13 H
Stroke ^{a±}							
% With a stroke - Age 45-64	0.7	0.5	0.6	1.0 (0.6-1.4)	0.3 (0.1-0.5)	0.7 (0.4-0.9)	1.07 NS
% With a stroke - Age 65+	3.9	3.2	3.5	4.0 (3.0-5.0)	4.0 (3.1-4.9)	4.0 (3.3-4.7)	1.14 NS
% With a stroke - Age Adjusted [†]	1.8	1.6	1.7	2.1 (1.6-2.5)	1.8 (1.4-2.1)	1.9 (1.6-2.2)	1.11 NS

CI - Confidence Interval

H/L/NS- chances are 19 in 20 that the rate is higher (H) or lower (L) or not significantly (NS) different than the aggregate (city) rate.

± Numerator: prevalence based on 2 or more visits to a

a Denominator: Ontario Ministry of Health and Long-Term Care Registered Persons' Database, population with at least 1 health claim in the previous three years.

c The Ontario Diabetes Database (ODD) was used to abstract people with diabetes. In this dataset, diabetes diagnosis is based on an algorithm using either at least 2 physician visits (MOHLTC) or at least 1 hospitalization (CIHI) within two years.

† Rates for Toronto are used as a reference and are not age-adjusted.

** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to <http://www.torontohealthprofiles.ca/aboutTheData.php>

N17 - Mimico Profile: Adult Health and Disease

	Toronto			Mimico			
	Males	Females	Both sexes	Males (95% CI)	Females (95% CI)	Both sexes (95% CI)	Rate Ratio**
Demographics							
Total Population Age 20-44 ^a	524,165	531,940	1,056,105	4,578	4,588	9,166	
Total Population Age 45-64 ^a	282,668	305,984	588,652	2,786	2,721	5,507	
Total Population Age 65+ ^a	167,731	226,843	394,574	1,520	1,953	3,473	
Mental Health - Physician Visits ^{as} (2001-2003)							
% With mental health visits - Age 20-44	12.3	18.2	15.3	14.0 (13.0-15.1)	21.5 (20.3-22.7)	17.8 (17.0-18.5)	1.16 H
% With mental health visits - Age 45-64	15.8	21.9	18.9	18.4 (17.0-19.8)	24.0 (22.4-25.6)	21.2 (20.1-22.3)	1.12 H
% With mental health visits - Age 65+	13.6	16.9	15.5	14.0 (12.2-15.8)	16.9 (15.2-18.6)	15.6 (14.4-16.9)	1.01 NS
% With mental health visits - Age Adjusted [†]	13.6	19.0	16.4	15.2 (14.5-16.0)	21.2 (20.3-22.0)	18.3 (17.8-18.9)	1.12 H
Disability (2001)							
Activity Limitation- Working Age, population Aged 15+ ^d							
Persons in households - Age 15-44	557,130	577,630	1,134,945	5,690	5,545	11,210	
% With activity difficulties/reductions - Age 15-44	8.2	8.3	8.3	8.8 (8.1-9.5)	9.6 (8.9-10.4)	9.4 (8.9-10.0)	1.14 H
Persons in households - Age 45-64	258,855	292,285	550,985	2,910	3,125	6,025	
% With activity difficulties/reductions - Age 45-64	19.5	23.3	21.5	22.7 (21.2-24.2)	24.3 (22.8-25.8)	23.4 (22.3-24.5)	1.09 H
Persons in households - Age 65+	137,470	181,215	318,570	1,400	1,775	3,175	
% With activity difficulties/reductions - Age 65+	49.1	53.9	51.9	56.1 (53.5-58.7)	51.0 (48.7-53.3)	53.4 (51.7-55.1)	1.03 NS
% With activity difficulties/reductions - Age adjusted [†]	15.1	17.7	16.5	19.4 (18.7-20.1)	20.9 (20.1-21.6)	20.1 (19.6-20.7)	1.22 H

CI - Confidence Interval

H/L/NS- chances are 19 in 20 that the rate is higher (H) or lower (L) or not significantly (NS) different than the aggregate (city) rate.

± Numerator: prevalence based on 2 or more visits to a physician in two years.

^a Denominator: Ontario Ministry of Health and Long-Term Care Registered Persons' Database, population with at least 1 health claim in the previous three years.

^d Data Source: 2001 Canada Census. This question was presented to a 20% sample of the total, non-institutional population.

[†] Rates for Toronto are used as a reference and are not age-adjusted.

** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to <http://www.torontohealthprofiles.ca/aboutTheData.php>