

N26 - Downsview-Roding-CFB Profile: Adult Health and Disease

| | Toronto | | | Downsview-Roding-CFB | | | |
|---|---------|---------|------------|----------------------|---------------------|------------------------|-----------------|
| | Males | Females | Both sexes | Males (95% CI) | Females (95% CI) | Both sexes (95% CI) | Rate Ratio** |
| Demographics | | | | | | | |
| Total Population Age 20-44 ^a | 524,165 | 531,940 | 1,056,105 | 7,738 | 7,753 | 15,491 | |
| Total Population Age 45-64 ^a | 282,668 | 305,984 | 588,652 | 3,732 | 3,874 | 7,606 | |
| Total Population Age 65+ ^a | 167,731 | 226,843 | 394,574 | 2,764 | 3,233 | 5,997 | |
| Chronic Illness - Physician Visits (2001-2003) | | | | | | | |
| Diabetes ^c | | | | | | | |
| % With diabetes - Age 45-64 | 13.8 | 11.2 | 12.5 | 16.0 (14.8-17.1) | 14.5 (13.4-15.6) | 15.2 (14.4-16.0) | 1.22 H |
| % With diabetes - Age 65+ | 22.7 | 19.2 | 20.7 | 25.6 (23.9-27.2) | 21.5 (20.0-22.9) | 23.3 (22.2-24.4) | 1.13 H |
| % With diabetes - Age Adjusted [†] | 16.9 | 14.4 | 15.6 | 19.4 (18.4-20.3) | 17.2 (16.3-18.1) | 18.2 (17.6-18.8) | 1.17 H |
| Arthritis / Rheumatism ^{a±} | | | | | | | |
| % With arthritis/rheumatism - Age 45-64 | 12.7 | 19.0 | 16.0 | 14.4 (13.3-15.6) | 22.8 (21.5-24) | 18.7 (17.8-19.5) | 1.17 H |
| % With arthritis/rheumatism - Age 65+ | 18.1 | 24.6 | 21.8 | 22.2 (20.6-23.8) | 25.7 (24.2-27.3) | 24.1 (23.0-25.2) | 1.10 H |
| % With arthritis/rheumatism - Age Adjusted [†] | 14.6 | 21.3 | 18.2 | 17.2 (16.3-18.1) | 23.8 (22.8-24.8) | 20.8 (20.1-21.5) | 1.14 H |
| Asthma ^{a±} | | | | | | | |
| % With asthma - Age 20-44 | 2.1 | 2.8 | 2.4 | 2.4 (2.0-2.7) | 3.2 (2.8-3.5) | 2.8 (2.5-3.0) | 1.13 H |
| % With asthma - Age 45-64 | 2.3 | 3.6 | 3.0 | 2.3 (1.8-2.8) | 3.6 (3.0-4.2) | 3.0 (2.6-3.3) | 0.99 NS |
| % With asthma - Age Adjusted [†] | 2.2 | 3.1 | 2.6 | 2.3 (2.1-2.6) | 3.3 (3.0-3.7) | 2.8 (2.6-3.1) | 1.08 NS |
| High Blood Pressure ^{a±} | | | | | | | |
| % With high blood pressure - Age 45-64 | 18.5 | 21.0 | 19.8 | 20.7 (19.4-22) | 25.0 (23.6-26.3) | 22.9 (22-23.8) | 1.16 H |
| % With high blood pressure - Age 65+ | 33.0 | 38.2 | 36.0 | 37.3 (35.4-39.1) | 40.6 (38.9-42.4) | 39.1 (37.8-40.4) | 1.09 H |
| % With high blood pressure - Age Adjusted [†] | 23.6 | 28.0 | 25.9 | 26.5 (25.5-27.6) | 31.0 (30.0-32.1) | 29.0 (28.2-29.7) | 1.12 H |
| Heart Disease ^{a±} | | | | | | | |
| % With heart disease - Age 45-64 | 6.1 | 3.2 | 4.5 | 6.3 (5.5-7.0) | 3.1 (2.6-3.6) | 4.7 (4.2-5.1) | 1.02 NS |
| % With heart disease - Age 65+ | 18.7 | 11.8 | 14.7 | 16.6 (15.1-18) | 10.6 (9.5-11.7) | 13.4 (12.5-14.2) | 0.91 L |
| % With heart disease - Age Adjusted [†] | 10.5 | 6.7 | 8.4 | 9.9 (9.2-10.6) | 6.2 (5.6-6.7) | 7.9 (7.4-8.3) | 0.94 L |
| Stroke ^{a±} | | | | | | | |
| % With a stroke - Age 45-64 | 0.7 | 0.5 | 0.6 | 0.9 (0.6-1.2) | 0.9 (0.6-1.2) | 0.9 (0.7-1.1) | 1.43 H |
| % With a stroke - Age 65+ | 3.9 | 3.2 | 3.5 | 3.6 (2.9-4.4) | 3.2 (2.6-3.8) | 3.4 (2.9-3.9) | 0.97 NS |
| % With a stroke - Age Adjusted [†] | 1.8 | 1.6 | 1.7 | 1.8 (1.5-2.2) | 1.8 (1.5-2.1) | 1.8 (1.6-2.1) | 1.07 NS |

CI - Confidence Interval

H/L/NS- chances are 19 in 20 that the rate is higher (H) or lower (L) or not significantly (NS) different than the aggregate (city) rate.

± Numerator: prevalence based on 2 or more visits to a

a Denominator: Ontario Ministry of Health and Long-Term Care Registered Persons' Database, population with at least 1 health claim in the previous three years.

c The Ontario Diabetes Database (ODD) was used to abstract people with diabetes. In this dataset, diabetes diagnosis is based on an algorithm using either at least 2 physician visits (MOHLTC) or at least 1 hospitalization (CIHI) within two years.

† Rates for Toronto are used as a reference and are not age-adjusted.

** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to <http://www.torontohealthprofiles.ca/aboutTheData.php>

N26 - Downsview-Roding-CFB Profile: Adult Health and Disease

| | Toronto | | | Downsview-Roding-CFB | | | |
|---|---------|---------|------------|----------------------|---------------------|------------------------|-----------------|
| | Males | Females | Both sexes | Males (95% CI) | Females (95% CI) | Both sexes (95% CI) | Rate Ratio** |
| Demographics | | | | | | | |
| Total Population Age 20-44 ^a | 524,165 | 531,940 | 1,056,105 | 7,738 | 7,753 | 15,491 | |
| Total Population Age 45-64 ^a | 282,668 | 305,984 | 588,652 | 3,732 | 3,874 | 7,606 | |
| Total Population Age 65+ ^a | 167,731 | 226,843 | 394,574 | 2,764 | 3,233 | 5,997 | |
| Mental Health - Physician Visits ^{**} (2001-2003) | | | | | | | |
| % With mental health visits - Age 20-44 | 12.3 | 18.2 | 15.3 | 12.2 (11.5-13.0) | 18.4 (17.5-19.3) | 15.3 (14.8-15.9) | 1.00 NS |
| % With mental health visits - Age 45-64 | 15.8 | 21.9 | 18.9 | 15.3 (14.2-16.5) | 22.9 (21.6-24.2) | 19.2 (18.3-20.1) | 1.02 NS |
| % With mental health visits - Age 65+ | 13.6 | 16.9 | 15.5 | 13.7 (12.4-15.1) | 18.5 (17.1-19.9) | 16.3 (15.4-17.3) | 1.05 NS |
| % With mental health visits - Age Adjusted [†] | 13.6 | 19.0 | 16.4 | 13.4 (12.9-14.0) | 19.8 (19.1-20.4) | 16.7 (16.3-17.2) | 1.02 NS |
| Disability (2001) | | | | | | | |
| Activity Limitation- Working Age, population Aged 15+ ^d | | | | | | | |
| Persons in households - Age 15-44 | 557,130 | 577,630 | 1,134,945 | 7,805 | 8,095 | 15,895 | |
| % With activity difficulties/reductions - Age 15-44 | 8.2 | 8.3 | 8.3 | 9.9 (9.3-10.6) | 8.5 (7.9-9.1) | 9.2 (8.7-9.6) | 1.11 H |
| Persons in households - Age 45-64 | 258,855 | 292,285 | 550,985 | 3,350 | 3,665 | 7,015 | |
| % With activity difficulties/reductions - Age 45-64 | 19.5 | 23.3 | 21.5 | 25.1 (23.6-26.5) | 29.6 (28.1-31.1) | 27.3 (26.3-28.3) | 1.27 H |
| Persons in households - Age 65+ | 137,470 | 181,215 | 318,570 | 2,225 | 2,565 | 4,810 | |
| % With activity difficulties/reductions - Age 65+ | 49.1 | 53.9 | 51.9 | 47.6 (45.6-49.7) | 48.5 (46.6-50.5) | 47.8 (46.4-49.2) | 0.92 L |
| % With activity difficulties/reductions - Age adjusted [†] | 15.1 | 17.7 | 16.5 | 19.5 (18.8-20.1) | 21.3 (20.6-21.9) | 20.4 (19.9-20.8) | 1.24 H |

CI - Confidence Interval

H/L/NS- chances are 19 in 20 that the rate is higher (H) or lower (L) or not significantly (NS) different than the aggregate (city) rate.

± Numerator: prevalence based on 2 or more visits to a physician in two years.

^a Denominator: Ontario Ministry of Health and Long-Term Care Registered Persons' Database, population with at least 1 health claim in the previous three years.

^d Data Source: 2001 Canada Census. This question was presented to a 20% sample of the total, non-institutional population.

[†] Rates for Toronto are used as a reference and are not age-adjusted.

** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to <http://www.torontohealthprofiles.ca/aboutTheData.php>