

N81 - Trinity-Bellwoods Profile: Adult Health and Disease

| | Toronto | | | Trinity-Bellwoods | | | |
|---|---------|---------|------------|---------------------|---------------------|------------------------|-----------------|
| | Males | Females | Both sexes | Males (95% CI) | Females (95% CI) | Both sexes (95% CI) | Rate Ratio** |
| Demographics | | | | | | | |
| Total Population Age 20-44 ^a | 524,165 | 531,940 | 1,056,105 | 4,747 | 4,565 | 9,312 | |
| Total Population Age 45-64 ^a | 282,668 | 305,984 | 588,652 | 2,095 | 2,110 | 4,205 | |
| Total Population Age 65+ ^a | 167,731 | 226,843 | 394,574 | 1,495 | 1,773 | 3,268 | |
| Chronic Illness - Physician Visits (2001-2003) | | | | | | | |
| Diabetes ^c | | | | | | | |
| % With diabetes - Age 45-64 | 13.8 | 11.2 | 12.5 | 13.5 (12.0-14.9) | 13.2 (11.8-14.6) | 13.3 (12.3-14.3) | 1.07 NS |
| % With diabetes - Age 65+ | 22.7 | 19.2 | 20.7 | 27.5 (25.1-29.8) | 29.1 (26.9-31.2) | 28.3 (26.7-29.9) | 1.37 H |
| % With diabetes - Age Adjusted [†] | 16.9 | 14.4 | 15.6 | 18.2 (17.0-19.4) | 19.6 (18.4-20.8) | 19.0 (18.1-19.8) | 1.22 H |
| Arthritis / Rheumatism ^{a±} | | | | | | | |
| % With arthritis/rheumatism - Age 45-64 | 12.7 | 19.0 | 16.0 | 11.5 (10.1-12.8) | 21.3 (19.6-23.0) | 16.4 (15.3-17.5) | 1.03 NS |
| % With arthritis/rheumatism - Age 65+ | 18.1 | 24.6 | 21.8 | 17.8 (15.8-19.8) | 25.7 (23.6-27.8) | 22.1 (20.6-23.5) | 1.01 NS |
| % With arthritis/rheumatism - Age Adjusted [†] | 14.6 | 21.3 | 18.2 | 13.6 (12.5-14.7) | 23.0 (21.6-24.3) | 18.7 (17.8-19.6) | 1.03 NS |
| Asthma ^{a±} | | | | | | | |
| % With asthma - Age 20-44 | 2.1 | 2.8 | 2.4 | 2.0 (1.6-2.4) | 2.7 (2.2-3.1) | 2.3 (2.0-2.6) | 0.94 NS |
| % With asthma - Age 45-64 | 2.3 | 3.6 | 3.0 | 2.1 (1.5-2.7) | 3.8 (3.0-4.6) | 3.0 (2.5-3.5) | 0.99 NS |
| % With asthma - Age Adjusted [†] | 2.2 | 3.1 | 2.6 | 2.0 (1.7-2.4) | 3.1 (2.7-3.5) | 2.6 (2.3-2.9) | 1.00 NS |
| High Blood Pressure ^{a±} | | | | | | | |
| % With high blood pressure - Age 45-64 | 18.5 | 21.0 | 19.8 | 16.6 (15.0-18.2) | 24.9 (23.1-26.7) | 20.8 (19.6-22.0) | 1.05 NS |
| % With high blood pressure - Age 65+ | 33.0 | 38.2 | 36.0 | 35.2 (32.7-37.7) | 43.1 (40.8-45.5) | 39.5 (37.7-41.2) | 1.10 H |
| % With high blood pressure - Age Adjusted [†] | 23.6 | 28.0 | 25.9 | 23.0 (21.7-24.4) | 31.8 (30.4-33.2) | 27.8 (26.8-28.8) | 1.07 H |
| Heart Disease ^{a±} | | | | | | | |
| % With heart disease - Age 45-64 | 6.1 | 3.2 | 4.5 | 8.4 (7.2-9.5) | 7.0 (5.9-8.0) | 7.7 (6.9-8.5) | 1.69 H |
| % With heart disease - Age 65+ | 18.7 | 11.8 | 14.7 | 24.4 (22.1-26.6) | 21.1 (19.2-23.1) | 22.6 (21.1-24.1) | 1.54 H |
| % With heart disease - Age Adjusted [†] | 10.5 | 6.7 | 8.4 | 14.0 (12.9-15.1) | 12.7 (11.7-13.7) | 13.3 (12.5-14.0) | 1.58 H |
| Stroke ^{a±} | | | | | | | |
| % With a stroke - Age 45-64 | 0.7 | 0.5 | 0.6 | 0.6 (0.3-1) | 0.5 (0.2-0.8) | 0.6 (0.4-0.8) | 0.97 NS |
| % With a stroke - Age 65+ | 3.9 | 3.2 | 3.5 | 3.5 (2.6-4.5) | 2.7 (1.9-3.5) | 3.1 (2.5-3.7) | 0.88 NS |
| % With a stroke - Age Adjusted [†] | 1.8 | 1.6 | 1.7 | 1.7 (1.3-2.1) | 1.4 (1.1-1.8) | 1.5 (1.3-1.8) | 0.90 NS |

CI - Confidence Interval

H/L/NS- chances are 19 in 20 that the rate is higher (H) or lower (L) or not significantly (NS) different than the aggregate (city) rate.

± Numerator: prevalence based on 2 or more visits to a

a Denominator: Ontario Ministry of Health and Long-Term Care Registered Persons' Database, population with at least 1 health claim in the previous three years.

c The Ontario Diabetes Database (ODD) was used to abstract people with diabetes. In this dataset, diabetes diagnosis is based on an algorithm using either at least 2 physician visits (MOHLTC) or at least 1 hospitalization (CIHI) within two years.

† Rates for Toronto are used as a reference and are not age-adjusted.

** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to <http://www.torontohealthprofiles.ca/aboutTheData.php>

N81 - Trinity-Bellwoods Profile: Adult Health and Disease

| | Toronto | | | Trinity-Bellwoods | | | |
|---|---------|---------|------------|---------------------|---------------------|------------------------|-----------------|
| | Males | Females | Both sexes | Males (95% CI) | Females (95% CI) | Both sexes (95% CI) | Rate Ratio** |
| Demographics | | | | | | | |
| Total Population Age 20-44 ^a | 524,165 | 531,940 | 1,056,105 | 4,747 | 4,565 | 9,312 | |
| Total Population Age 45-64 ^a | 282,668 | 305,984 | 588,652 | 2,095 | 2,110 | 4,205 | |
| Total Population Age 65+ ^a | 167,731 | 226,843 | 394,574 | 1,495 | 1,773 | 3,268 | |
| Mental Health - Physician Visits ^{**} (2001-2003) | | | | | | | |
| % With mental health visits - Age 20-44 | 12.3 | 18.2 | 15.3 | 13.4 (12.4-14.3) | 19.1 (17.9-20.2) | 16.2 (15.4-16.9) | 1.06 H |
| % With mental health visits - Age 45-64 | 15.8 | 21.9 | 18.9 | 17.3 (15.8-18.9) | 25.2 (23.4-27.0) | 21.3 (20.1-22.5) | 1.13 H |
| % With mental health visits - Age 65+ | 13.6 | 16.9 | 15.5 | 15.2 (13.3-17.1) | 18.2 (16.4-20.1) | 16.8 (15.5-18.2) | 1.08 NS |
| % With mental health visits - Age Adjusted [†] | 13.6 | 19.0 | 16.4 | 14.9 (14.1-15.6) | 20.7 (19.9-21.6) | 17.9 (17.3-18.5) | 1.09 H |
| Disability (2001) | | | | | | | |
| Activity Limitation- Working Age, population Aged 15+ ^d | | | | | | | |
| Persons in households - Age 15-44 | 557,130 | 577,630 | 1,134,945 | 4,765 | 4,480 | 9,230 | |
| % With activity difficulties/reductions - Age 15-44 | 8.2 | 8.3 | 8.3 | 7.3 (6.6-8.1) | 4.7 (4.1-5.3) | 6.1 (5.6-6.6) | 0.74 L |
| Persons in households - Age 45-64 | 258,855 | 292,285 | 550,985 | 1,540 | 1,830 | 3,360 | |
| % With activity difficulties/reductions - Age 45-64 | 19.5 | 23.3 | 21.5 | 25.3 (23.2-27.5) | 26.5 (24.5-28.5) | 26.0 (24.6-27.5) | 1.21 H |
| Persons in households - Age 65+ | 137,470 | 181,215 | 318,570 | 1,130 | 1,280 | 2,410 | |
| % With activity difficulties/reductions - Age 65+ | 49.1 | 53.9 | 51.9 | 55.3 (52.4-58.2) | 56.3 (53.5-59) | 56.0 (54.0-58.0) | 1.08 H |
| % With activity difficulties/reductions - Age adjusted [†] | 15.1 | 17.7 | 16.5 | 19.1 (18.3-20.0) | 19.6 (18.8-20.5) | 19.4 (18.9-20.0) | 1.18 H |

CI - Confidence Interval

H/L/NS- chances are 19 in 20 that the rate is higher (H) or lower (L) or not significantly (NS) different than the aggregate (city) rate.

± Numerator: prevalence based on 2 or more visits to a physician in two years.

^a Denominator: Ontario Ministry of Health and Long-Term Care Registered Persons' Database, population with at least 1 health claim in the previous three years.

^d Data Source: 2001 Canada Census. This question was presented to a 20% sample of the total, non-institutional population.

[†] Rates for Toronto are used as a reference and are not age-adjusted.

** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to <http://www.torontohealthprofiles.ca/aboutTheData.php>